


STERIS Lifesciences Crossword Puzzle



Across

2. CIP 100 Detergent is a proprietary blend of _____ hydroxide, an advanced surfactant system and other performance-enhancing ingredients that provide multiple cleaning mechanisms.
5. Bruno Aze favorite VHP baby that was named with 4 numbers and 1 alphabet?
8. A chemical agent that kills or stops the growth of microbes.
10. FAT service combines a thorough inspection of the equipment with rigorous testing to ensure your expectations for operation are met. FAT stands for Factory _____ Test.
12. What does “P” in STERIS 380PG, 480PG, 680PG and 980PG washers stands for?
13. When your equipment is newly installed or being relocated, IQOQ is a key element of your overall validation program. What does “Q” in IQOQ stands for?
14. The new VHP decontamination aseptic material transfer chamber DC-A stands for Decontamination Chamber _____

Down

1. A chamber for sterilizing with steam under pressure
3. To help maximize your uptime, STERIS recommends conducting scheduled preventive _____ (PM) to proactively replace parts that tend to wear during normal equipment operation.
4. CIP 200 is a low foaming detergent is ideal for use in CIP, COP and manual applications for a variety of applications including derouging and _____.
6. Eliminate item misplacement and improper loading technique in Reliance PG automated parts washers with the easy-to-use _____ AR loading system.
7. Who is the newest member to APAC Customer Service Representative Team?
9. Disinfectant _____ testing is one component of the validation, where the disinfectant is challenged for antimicrobial effectiveness in the laboratory.
11. The act of adjusting and setting a measuring instrument before measuring for accurate results.

15. What is STERIS preferred Incoterm ?